



## POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

(Rate in Rs. Per Metre)

"POLYCAB" Brand Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape/Extruded Innersheathed for Multicore Cables, Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm,4x6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

Cable Size in sq.mm	ALUMINIUM ARMoured									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	A2XWaY	A2XFaY	A2XWY	A2XFY	A2XWY	A2XFY	A2XFY	A2XFY	A2XWY	A2XFY
2.5			SISLV2X2.517225	113	SISLV3X2.517457	130			SISLV4X2.517805	151
4			SISLV2X417225	123	SISLV3X417457	143			SISLV4X417805	164
6			SISLV2X617225	143	SISLV3X617457	168			SISLV4X617805	189
10			SISLV2X1017225	180	SISLV3X1017457	210			SISLV4X1018040	239
16	SISLV1X1617173	115	SISLV2X1617371	212	SISLV3X1617603	222			SISLV4X1617969	271
25	SISLV1X2517173	139	SISLV2X2517371	218	SISLV3X2517603	289	SISLV3.5x2517719	334	SISLV4X2517969	359
35	SISLV1X3517173	168	SISLV2X3517371	267	SISLV3X3517603	366	SISLV3.5x3517719	412	SISLV4X3517969	456
50	SISLV1X5017173	204	SISLV2X5017371	333	SISLV3X5017603	459	SISLV3.5x5017719	531	SISLV4X5017969	586
70	SISLV1X7017173	258	SISLV2X7017371	443	SISLV3X7017603	618	SISLV3.5x7017719	720	SISLV4X7017969	790
95	SISLV1X9517168	292	SISLV2X9517371	570	SISLV3X9517603	790	SISLV3.5x9517719	895	SISLV4X9517969	987
120	SISLV1X12017168	351	SISLV2X12017371	680	SISLV3X12017603	944	SISLV3.5x12017719	1118	SISLV4X12017969	1220
150	SISLV1X15017168	416	SISLV2X15017371	820	SISLV3X15017603	1164	SISLV3.5x15017719	1326	SISLV4X15017969	1487
185	SISLV1X18517168	509	SISLV2X18517371	1020	SISLV3X18517603	1422	SISLV3.5x18517719	1650	SISLV4X18517969	1850
240	SISLV1X24017168	625	SISLV2X24017371	1270	SISLV3X24017603	1820	SISLV3.5x24017719	2080	SISLV4X24017969	2360
300	SISLV1X30017168	760	SISLV2X30017371	1550	SISLV3X30017603	2200	SISLV3.5x30017719	2550	SISLV4X30017969	2870
400	SISLV1X40017168	954	SISLV2X40017371	1950	SISLV3X40017603	2797	SISLV3.5x40017719	3243	SISLV4X40017969	3650
500	SISLV1X50017168	1249	SISLV2X50017371	2581	SISLV3X50017603	3615	SISLV3.5x50017719	4213	SISLV4X50017969	4728
630	SISLV1X63017168	1585	SISLV2X63017371	3248	SISLV3X63017603	4583	SISLV3.5x63017719	5473	SISLV4X63017969	6118
800	SISLV1X80017168	2013								
1000	SISLV1X100017168	2516								

**EXTRA FOR SPECIAL CONSTRUCTION:**

a) Round Wire Armouring		FRLS Loading Factor				LSZH	
- 2 x 16 & above	25%	Cable Size (Sq.mm)	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
- 3 x 16 & 3.5CX25 & above	25%			Armd.			
- 4 x 10 & above	25%			Power (Al.)			
- For Single core 95 & above	25%	Upto 16	10%	15%	15%	20%	
b) Stranding 10 sq.mm and below	10%	25 - 50	7.5%	10%	12.5%	15%	
c) Extruded PVC Innersheath Up 50	5%	70 & above	5%	7.5%	15%	12.5%	
Extruded PVC Innersheath 70 & Above	2.5%			Power Single Core (Al.)			
d) HR PVC Insulation	2%	Upto 16	-N.A-	20%	25%		
e) HR PVC Inner Sheath	2%	25 - 70	-N.A-	15%	20%		
f) HR PVC Outer Sheath	2%	95 & above	-N.A-	12.5%	17.5%		
g) Oxygen Index (FR)	2.5%						
h) PVC Insulated Cables	8%						

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

(Rate in Rs. Per Metre)

"POLYCAB" Brand Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape/Extruded Innersheathed for Multicore Cables, Unarmoured, extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

Cable Size in sq.mm	ALUMINIUM UNARMOURED									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	A2XY		A2XY		A2XY		A2XY		A2XY	
2.5										
4			SISLV2X417228	77	SISLV3X417460	86			SISLV4X417808	96
6			SISLV2X617228	86	SISLV3X617460	103			SISLV4X617808	122
10			SISLV2X1017228	109	SISLV3X1017460	133			SISLV4X1017808	160
16	SISLV1X1617178	61	SISLV2X1617392	132	SISLV3X1617624	171			SISLV4X1617990	214
25	SISLV1X2517178	80	SISLV2X2517392	170	SISLV3X2517624	238	SISLV3.5X2517740	278	SISLV4X2517990	298
35	SISLV1X3517178	100	SISLV2X3517392	215	SISLV3X3517624	305	SISLV3.5X3517740	346	SISLV4X3517990	385
50	SISLV1X5017178	129	SISLV2X5017392	276	SISLV3X5017624	395	SISLV3.5X5017740	456	SISLV4X5017990	501
70	SISLV1X7017178	172	SISLV2X7017392	372	SISLV3X7017624	547	SISLV3.5X7017740	631	SISLV4X7017990	697
95	SISLV1X9517178	222	SISLV2X9517392	497	SISLV3X9517624	695	SISLV3.5X9517740	804	SISLV4X9517990	892
120	SISLV1X12017178	278	SISLV2X12017392	592	SISLV3X12017624	860	SISLV3.5X12017740	1011	SISLV4X12017990	1122
150	SISLV1X15017178	338	SISLV2X15017392	721	SISLV3X15017624	1065	SISLV3.5X15017740	1218	SISLV4X15017990	1380
185	SISLV1X18517178	417	SISLV2X18517392	901	SISLV3X18517624	1324	SISLV3.5X18517740	1531	SISLV4X18517990	1718
240	SISLV1X24017178	523	SISLV2X24017392	1146	SISLV3X24017624	1692	SISLV3.5X24017740	1953	SISLV4X24017990	2197
300	SISLV1X30017178	640	SISLV2X30017392	1414	SISLV3X30017624	2081	SISLV3.5X30017740	2403	SISLV4X30017990	2713
400	SISLV1X40017178	842	SISLV2X40017392	1813	SISLV3X40017624	2678	SISLV3.5X40017740	3100	SISLV4X40017990	3502
500	SISLV1X50017178	1007	SISLV2X50017392	2280	SISLV3X50017624	3259	SISLV3.5X50017740	3765	SISLV4X50017990	4249
630	SISLV1X63017178	1279	SISLV2X63017392	2878	SISLV3X63017624	4138	SISLV3.5X63017740	4895	SISLV4X63017990	5495
800	SISLV1X80017178	1680								
1000	SISLV1X100017178	2136								

**EXTRA FOR SPECIAL CONSTRUCTION:**

a) Stranding 10 sq.mm and below	10%			FRLS Loading Factor			LSZH	
b) Extruded PVC Innersheath Up 50	5%		Cable Size (Sq.mm)	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
Extruded PVC Innersheath 70 & Above	2.5%			Unarmd.				
c) HR PVC Insulation	2%			Power (Al.)				
d) HR PVC Inner Sheath	2%		Upto 16	10%	15%	15%	20%	
e) HR PVC Outer Sheath	2%		25 - 50	7.5%	10%	12.5%	15%	
f) Oxygen Index (FR)	2.5%		70 & above	5%	7.5%	15%	12.5%	
g) PVC Insulated Cables	5%			Power Single Core (Al.)				
			Upto 16	-N.A-	20%	25%	25%	
			25 - 70	-N.A-	15%	20%	20%	
			95 & above	-N.A-	12.5%	17.5%	17.5%	

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

"POLYCAB" Brand Power/Control Copper Cables, Solid Copper conductor upto 6sqmm balance Stranded, XLPE Insulated, cores laid up, PVC tape innersheathed for Multicore Cables, Unarmoured/Armour (Galvanised wire for cables up to 10 x 1.5 sqmm, 8 x 2.5 sqmm, 2 x 10 sqmm, 3 x 10 sqmm, 4 x 6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	COPPER ARMoured									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	2XWaY / 2XFaY		2XWY / 2XFY		2XWY / 2XFY		2XFY		2XWY / 2XFY	
4			SISLV2X410076	245	LV3X410342	318			SISLV4X410690	405
6			SISLV2X610076	331	LV3X610342	439			SISLV4X610690	565
10			SISLV2X1010134	500	LV3X1010400	683			SISLV4X1018048	881
16	SISLV1X1610024	348	SISLV2X1610237	712	LV3X1610488	967			SISLV4X1610854	1270
25	SISLV1X2510024	566	SISLV2X2510222	1066	LV3X2510500	1563	SISLV3.5X2510616	1880	SISLV4X2510866	2058
35	SISLV1X3510024	767	SISLV2X3510222	1458	LV3X3510500	2153	SISLV3.5X3510616	2471	SISLV4X3510866	2838
50	SISLV1X5010024	1037	SISLV2X5010222	1980	LV3X5010500	2932	SISLV3.5X5010616	3429	SISLV4X5010866	3884
70	SISLV1X7010024	1457	SISLV2X7010222	2805	LV3X7010500	4163	SISLV3.5X7010616	4852	SISLV4X7010866	5509
95	SISLV1X9510019	2049	SISLV2X9510222	4027	LV3X9510500	5979	SISLV3.5X9510616	6986	SISLV4X9510866	7927
120	SISLV1X12010019	2578	SISLV2X12010222	5048	LV3X12010500	7513	SISLV3.5X12010616	8952	SISLV4X12010866	9977
150	SISLV1X15010019	3208	SISLV2X15010222	6297	LV3X15010500	9379	SISLV3.5X15010616	10817	SISLV4X15010866	12452
185	SISLV1X18510019	3944	SISLV2X18510222	7745	LV3X18510500	11543	SISLV3.5X18510616	13493	SISLV4X18510866	15313
240	SISLV1X24010019	5065	SISLV2X24010222	9962	LV3X24010500	14869	SISLV3.5X24010616	17333	SISLV4X24010866	19738
300	SISLV1X30010019	6314	SISLV2X30010222	12409	LV3X30010500	18510	SISLV3.5X30010616	21592	SISLV4X30010866	24592
400	SISLV1X40010019	8272	SISLV2X40010222	16268	LV3X40010500	24291	SISLV3.5X40010616	28092	SISLV4X40010866	32270
500	SISLV1X50010019	10439								
630	SISLV1X63010019	13139								
800	SISLV1X80010019	16649								
1000	SISLV1X100010019	20780								

**CONTROL CABLES**

(Rate in Rs. Per Metre)

Number of Cores	ARMoured - 2XWY/2XFY				No. of Cores	ARMoured - 2XWY/2XFY			
	1.5 sqmm		2.5 sqmm			1.5 sqmm		2.5 sqmm	
2	SISLV2X1.510076	142	SISLV2X2.510076	186	14	SISLV14X1.511916	592	SISLV14X2.511916	832
3	SISLV3X1.510342	175	SISLV3X2.510342	239	16	SISLV16X1.512090	612	SISLV16X2.512090	936
4	SISLV4X1.510690	211	SISLV4X2.510690	297	19	SISLV19X1.512264	710	SISLV19X2.512090	1099
5	SISLV5X1.510940	248	SISLV5X2.510940	355	24	SISLV24X1.512438	889	SISLV24X2.512264	1376
6	SISLV6X1.511056	284	SISLV6X2.511056	413	27	SISLV27X1.512612	991	SISLV27X2.512438	1531
7	SISLV7X1.511172	315	SISLV7X2.511172	466	30	SISLV30X1.512786	1135	SISLV30X2.512612	1766
8	SISLV8X1.511288	340	SISLV8X2.511288	501	37	SISLV37X1.512960	1384	SISLV37X2.512786	2152
9	SISLV9X1.511422	386	SISLV9X2.511422	566	44	SISLV44X1.513134	1637	SISLV44X2.512960	2567
10	SISLV10X1.511580	452	SISLV10X2.511568	614	52	SISLV52X1.513308	1913	SISLV52X2.513134	3005
12	SISLV12X1.511742	520	SISLV12X2.511742	721	61	SISLV61X1.513482	2233	SISLV61X2.513308	3499

**EXTRA FOR SPECIAL CONSTRUCTION (CONTROL CABLES):**

A) Tinning	3%			E) OXYGEN INDEX (FR)	2.5%	
B) Stranding (Upto 6 SQ.MM )	6%			F) HR PVC INSU/I.SH/O.SH.	2% ( Each )	
C) Extruded Innersheath	2.5%			G) FRLS Loading-Power Cable	7.5%	
D) Round Wire Armouring				H) PVC Insulated Cables	5%	

1C x 95 sq. mm & above	7.5%	FRLS Loading Factor- Control Cable				LSZH
1.5 sq.mm - 12 core & above	15%	Cores	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
2.5 sq.mm - 9 core & above	15%			Armoured		
10 sq.mm - 4 core & above	15%	2 - 4	10%	10%	15%	15%
16 sq.mm - 2 core & above	15%	5 - 10	7.5%	10%	15%	15%
16 sq.mm - 3 core & above	15%	12 & Above	7.5%	7.5%	12.5%	12.5%

As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention, It may vary within the prescribed limit of IS:8130-1994,with related classes and tables:

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

"POLYCAB" Brand Power/Control Copper Cables, Solid/Stranded Copper conductor, XLPE Insulated, cores laid up, PVC tape/PVC Extruded Innersheathed for Multicore Cables, Unarmoured, extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	COPPER UN-ARMOURED									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	2XY		2XY		2XY		2XY		2XY	
4			SISLV2X410079	193	SISLV3X410345	271			SISLV4X410693	353
6			SISLV2X610079	274	SISLV3X610345	388			SISLV4X610693	508
10			SISLV2X1010137	433	SISLV3X1010403	621			SISLV4X1010769	815
16	SISLV1X1610029	310	SISLV2X1610243	620	SISLV3X1610509	918			SISLV4X1610875	1213
25	SISLV1X2510029	471	SISLV2X2510243	959	SISLV3X2510509	1424	SISLV3.5X2510625	1718	SISLV4X2510875	1882
35	SISLV1X3510029	651	SISLV2X3510243	1324	SISLV3X3510509	1970	SISLV3.5X3510625	2265	SISLV4X3510875	2608
50	SISLV1X5010029	893	SISLV2X5010243	1813	SISLV3X5010509	2702	SISLV3.5X5010625	3161	SISLV4X5010875	3580
70	SISLV1X7010029	1270	SISLV2X7010243	2577	SISLV3X7010509	3857	SISLV3.5X7010625	4497	SISLV4X7010875	5113
95	SISLV1X9510029	1703	SISLV2X9510243	3588	SISLV3X9510509	5356	SISLV3.5X9510625	6257	SISLV4X9510875	7111
120	SISLV1X12010029	2148	SISLV2X12010243	4514	SISLV3X12010509	6743	SISLV3.5X12010625	8029	SISLV4X12010875	8970
150	SISLV1X15010029	2685	SISLV2X15010243	5632	SISLV3X15010509	8433	SISLV3.5X15010625	9722	SISLV4X15010875	11210
185	SISLV1X18510029	3305	SISLV2X18510243	6943	SISLV3X18510509	10388	SISLV3.5X18510625	12151	SISLV4X18510875	13808
240	SISLV1X24010029	4260	SISLV2X24010243	8954	SISLV3X24010509	13405	SISLV3.5X24010625	15629	SISLV4X24010875	17821
300	SISLV1X30010029	5310	SISLV2X30010243	11169	SISLV3X30010509	16716	SISLV3.5X30010625	19497	SISLV4X30010875	22233
400	SISLV1X40010029	6980	SISLV2X40010243	14660	SISLV3X40010509	21952	SISLV3.5X40010625	25399	SISLV4X40010875	29210
500	SISLV1X50010029	8815								
630	SISLV1X63010029	11103								
800	SISLV1X80010029	14091								
1000	SISLV1X100010029	17604								

**CONTROL CABLES**

(Rate in Rs. Per Metre)

Number of Cores	UN-ARMOURED - 2XY					No. of Cores	UN-ARMOURED - 2XY				
	1.5 sqmm		2.5 sqmm				1.5 sqmm		2.5 sqmm		
2	SISLV2X1.510079	95	SISLV2X2.510079	137		14	SISLV14X1.511931	467	SISLV14X2.511931	734	
3	SISLV3X1.510345	125	SISLV3X2.510345	181		16	SISLV16X1.512105	530	SISLV16X2.512105	841	
4	SISLV4X1.510693	157	SISLV4X2.510693	233		19	SISLV19X1.512279	623	SISLV19X2.512279	991	
5	SISLV5X1.510943	186	SISLV5X2.510943	279		24	SISLV24X1.512453	788	SISLV24X2.512453	1245	
6	SISLV6X1.511059	218	SISLV6X2.511059	331		27	SISLV27X1.512627	880	SISLV27X2.512627	1393	
7	SISLV7X1.511175	247	SISLV7X2.511175	379		30	SISLV30X1.512801	1007	SISLV30X2.512801	1596	
8	SISLV8X1.511291	275	SISLV8X2.511291	416		37	SISLV37X1.512975	1231	SISLV37X2.512975	1957	
9	SISLV9X1.511425	308	SISLV9X2.511425	464		44	SISLV44X1.513149	1459	SISLV44X2.513149	2334	
10	SISLV10X1.511583	343	SISLV10X2.511583	535		52	SISLV52X1.513323	1712	SISLV52X2.513323	2743	
12	SISLV12X1.511757	404	SISLV12X2.511757	634		61	SISLV61X1.513497	2012	SISLV61X2.513497	3206	

**EXTRA FOR SPECIAL CONSTRUCTION (CONTROL CABLES):**

A) Tinning	3%				FRLS Loading Factor- Control Cable				LSZH	
B) Stranding (Upto 6 SQ.MM )	6%				Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
C) Extruded Innersheath	2.5%						Unarmd			
					4-Feb	5%	7.5%		15%	15%
D OXYGEN INDEX (FR)	2.5%				41404	5%	7.5%		15%	15%
E) HR PVC INSU./I.SH/O/SH.	2% ( Each )				12 & Above	5%	7.5%		12.5%	12.5%
F) FRLS Loading-Power Cable	7.5%									
G) PVC Insulated Cables	5%									

As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention, It may vary within the prescribed limit of IS:8130-1994, with related classes and tables:

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

**"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with extruded Semi Conducting Compound in combination with Copper Tape (0.2kA for 1 sec/Core), cores laid up, innersheath of PVC tape, galvanised flat steel strip armoured and overall PVC Sheathed Cable conforming to IS 7098 / (PART-II) 1985 with latest amendments.**

Cable Size in sq.mm	3 CORE HT XLPE									
	3.3 KV (E)		3.3 KV (U/E)		6.6 KV (E)		6.6 KV (U/E)		11 KV (E)	
25	SISMV3.3E3X252244	687	SISMV3.3U3X252280	687						
35	SISMV3.3E3X352244	809	SISMV3.3U3X352280	809	SISMV6.6E3X352316	892	SISMV6.6U3X352352	981	SISMV11E3X352797	981
50	SISMV3.3E3X502244	940	SISMV3.3U3X502280	940	SISMV6.6E3X502316	1015	SISMV6.6U3X502352	1111	SISMV11E3X502797	1111
70	SISMV3.3E3X702244	1139	SISMV3.3U3X702280	1139	SISMV6.6E3X702316	1225	SISMV6.6U3X702352	1320	SISMV11E3X702797	1320
95	SISMV3.3E3X952244	1382	SISMV3.3U3X952281	1382	SISMV6.6E3X952316	1471	SISMV6.6U3X952352	1577	SISMV11E3X952797	1577
120	SISMV3.3E3X1202244	1625	SISMV3.3U3X120282	1625	SISMV6.6E3X1202316	1718	SISMV6.6U3X1202352	1820	SISMV11E3X1202797	1820
150	SISMV3.3E3X1502244	1835	SISMV3.3U3X150283	1835	SISMV6.6E3X1502316	1938	SISMV6.6U3X1502352	2031	SISMV11E3X1502797	2031
185	SISMV3.3E3X1852244	2163	SISMV3.3U3X185284	2163	SISMV6.6E3X1852316	2256	SISMV6.6U3X1852352	2364	SISMV11E3X1852797	2364
240	SISMV3.3E3X2402244	2622	SISMV3.3U3X240285	2622	SISMV6.6E3X2402316	2731	SISMV6.6U3X2402352	2837	SISMV11E3X2402797	2837
300	SISMV3.3E3X3002244	3097	SISMV3.3U3X300286	3097	SISMV6.6E3X3002316	3255	SISMV6.6U3X3002352	3302	SISMV11E3X3002797	3302
400	SISMV3.3E3X4002244	3764	SISMV3.3U3X400287	3764	SISMV6.6E3X4002316	4074	SISMV6.6U3X4002352	4146	SISMV11E3X4002797	4146

**EXTRA FOR SPECIAL CONSTRUCTION:**

1) Extruded PVC Inner Sheath	3%								
2) Pressure Extruded PVC Innersheath	13%								
3) Round Wire Armouring - Up to 11 KV (E)	25%								
11 KV (UE) & Above	27.5%								
4) FRLS PVC Inner Sheath	5%								
5) FRLS PVC Outer Sheath	5%								
6) FR Sheath with Oxygen Index	3%								

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

**"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with extruded Semi Conducting Compound in combination with Copper Tape (0.2kA for 1 sec/Core), cores laid up, innersheath of PVC tape, galvanised flat steel strip armoured and overall PVC Sheathed Cable conforming to IS 7098 / (PART-II) 1985 with latest amendments.**

Cable Size in sq.mm	3 CORE HT XLPE							
	11 KV (UE)		22 KV (E)		33 KV (E)		33 KV (UE)	
<b>25</b>								
<b>35</b>								
<b>50</b>		<b>1482</b>	SISMV22E3X502460	<b>1587</b>				
<b>70</b>	SISMV11U3X702424	<b>1714</b>	SISMV22E3X702460	<b>1835</b>				
<b>95</b>	SISMV11U3X952424	<b>1993</b>	SISMV22E3X952460	<b>2122</b>	SISMV33E3X952496	<b>2765</b>	SISMV33U3X952532	<b>3279</b>
<b>120</b>	SISMV11U3X1202424	<b>2263</b>	SISMV22E3X1202460	<b>2400</b>	SISMV33E3X1202496	<b>3151</b>	SISMV33U3X1202532	<b>3612</b>
<b>150</b>	SISMV11U3X1502424	<b>2499</b>	SISMV22E3X1502460	<b>2647</b>	SISMV33E3X1502496	<b>3417</b>	SISMV33U3X1502532	<b>3873</b>
<b>185</b>	SISMV11U3X1852424	<b>2861</b>	SISMV22E3X1852460	<b>2996</b>	SISMV33E3X1852496	<b>3813</b>	SISMV33U3X1852532	<b>4290</b>
<b>240</b>	SISMV11U3X2402424	<b>3364</b>	SISMV22E3X2402460	<b>3510</b>	SISMV33E3X2402496	<b>4358</b>	SISMV33U3X12402532	<b>4864</b>
<b>300</b>	SISMV11U3X3002424	<b>3871</b>	SISMV22E3X3002460	<b>4027</b>	SISMV33E3X3002496	<b>4898</b>	SISMV33U3X3002532	<b>5427</b>
<b>400</b>	SISMV11U3X4002424	<b>4550</b>	SISMV22E3X4002460	<b>4742</b>	SISMV33E3X4002496	<b>5671</b>	SISMV33U3X4002532	<b>6239</b>

**EXTRA FOR SPECIAL CONSTRUCTION:**

1) Extruded PVC Inner Sheath	5%				
2) Pressure Extruded PVC Innersheath	13%				
3) Round Wire Armouring - Up to 11 KV (E)	25%				
11 KV (UE) & Above	27.5%				
4) FRLS PVC Inner Sheath	5%				
5) FRLS PVC Outer Sheath	5%				
6) FR Sheath with Oxygen Index	3%				

● The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

● This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



# POLYCAB WIRES PVT. LTD.

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen with extruded semi conducting compound, XLPE insulated, insulation screening with extruded semi conducting compound in combination with Copper tape (0.2kA for 1sec), AL flat strip / round armoured and overall PVC sheathed cable confirming to IS 7098 / (PART-II) 1985 with latest amendments.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE											
	3.3 KV E				3.3 KV UE				6.6 KV (E)			
	Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured	
35	SISMV3.3E1X352001	370	389	SISMV3.3U1X352028	370	SISMV3.3U1X352037	389	SISMV6.6E1X352316	383	SISMV6.6E1X352055	403	
50	SISMV3.3E1X502001	406	427	SISMV3.3U1X502028	406	SISMV3.3U1X502037	427	SISMV6.6E1X502316	418	SISMV6.6E1X502055	441	
70	SISMV3.3E1X702001	465	489	SISMV3.3U1X702028	465	SISMV3.3U1X702037	489	SISMV6.6E1X702316	478	SISMV6.6E1X702055	503	
95	SISMV3.3E1X952001	525	553	SISMV3.3U1X952028	525	SISMV3.3U1X952037	553	SISMV6.6E1X952316	539	SISMV6.6E1X952055	567	
120	SISMV3.3E1X1202001	592	623	SISMV3.3U1X1202028	592	SISMV3.3U1X1202037	623	SISMV6.6E1X1202316	607	SISMV6.6E1X1202055	639	
150	SISMV3.3E1X1502001	662	696	SISMV3.3U1X1502028	662	SISMV3.3U1X1502037	696	SISMV6.6E1X1502316	678	SISMV6.6E1X1502055	714	
185	SISMV3.3E1X1852001	762	802	SISMV3.3U1X1852028	762	SISMV3.3U1X1852037	802	SISMV6.6E1X1852316	780	SISMV6.6E1X1852055	821	
240	SISMV3.3E1X2402001	962	1012	SISMV3.3U1X2402028	962	SISMV3.3U1X2402037	1012	SISMV6.6E1X2402316	982	SISMV6.6E1X2402055	1033	
300	SISMV3.3E1X3002001	1115	1174	SISMV3.3U1X3002028	1115	SISMV3.3U1X3002037	1174	SISMV6.6E1X3002316	1144	SISMV6.6E1X3002055	1205	
400	SISMV3.3E1X4002001	1336	1406	SISMV3.3U1X4002028	1336	SISMV3.3U1X4002037	1406	SISMV6.6E1X4002316	1388	SISMV6.6E1X4002055	1461	
500	SISMV3.3E1X5002001	1622	1708	SISMV3.3U1X5002028	1622	SISMV3.3U1X5002037	1708	SISMV6.6E1X5002316	1700	SISMV6.6E1X5002055	1790	
630	SISMV3.3E1X6302001	2011	2117	SISMV3.3U1X6302028	2011	SISMV3.3U1X6302037	2117	SISMV6.6E1X6302316	2045	SISMV6.6E1X6302055	2152	
800	SISMV3.3E1X8002001	2491	2622	SISMV3.3U1X8002028	2491	SISMV3.3U1X8002037	2622	SISMV6.6E1X8002316	2513	SISMV6.6E1X8002055	2645	
1000	SISMV3.3E1X10002001	3005	3164	SISMV3.3U1X10002028	3005	SISMV3.3U1X10002037	3164	SISMV6.6E1X10002316	3016	SISMV6.6E1X10002055	3175	

**EXTRA FOR SPECIAL CONSTRUCTION:**

1) FRLS PVC Inner Sheath	7.5%										
2) FRLS PVC Outer Sheath	5%										
3) Oxygen Index	3%										

● The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

● This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



**POLYCAB WIRES PVT. LTD.**

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen with extruded semi conducting compound, XLPE insulated, insulation screening with extruded semi conducting compound in combination with Copper tape (0.2kA for 1sec), AL flat strip / round armoured and overall PVC sheathed cable confirming to IS 7098 / (PART-II) 1985 with latest amendments.

(Rate in Rs. Per Metre)

**I CORE HT XLPE**

Cable Size in sq.mm	6.6 KV (UE)				11 KV (E)				11 KV (UE)			
	Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured	
35	SISMV6.6U1X352082	406	SISMV6.6U1X352091	427	SISMV11E1X352109	406	SISMV11E1X352118	427				
50	SISMV6.6U1X502082	449	SISMV6.6U1X502091	473	SISMV11E1X502109	449	SISMV11E1X502118	473				
70	SISMV6.6U1X702082	513	SISMV6.6U1X702091	540	SISMV11E1X702109	513	SISMV11E1X702118	540	SISMV11U1X702136	629	SISMV11U1X702145	662
95	SISMV6.6U1X952082	576	SISMV6.6U1X952091	606	SISMV11E1X952109	576	SISMV11E1X952118	606	SISMV11U1X952136	733	SISMV11U1X952145	772
120	SISMV6.6U1X1202082	651	SISMV6.6U1X1202091	685	SISMV11E1X1202109	651	SISMV11E1X1202118	685	SISMV11U1X1202136	828	SISMV11U1X1202145	871
150	SISMV6.6U1X1502082	716	SISMV6.6U1X1502091	754	SISMV11E1X1502109	716	SISMV11E1X1502118	754	SISMV11U1X1502136	899	SISMV11U1X1502145	946
185	SISMV6.6U1X1852082	858	SISMV6.6U1X1852091	903	SISMV11E1X1852109	858	SISMV11E1X1852118	903	SISMV11U1X1852136	1068	SISMV11U1X1852145	1124
240	SISMV6.6U1X2402082	1079	SISMV6.6U1X2402091	1133	SISMV11E1X2402109	1079	SISMV11E1X2402118	1133	SISMV11U1X2402136	1227	SISMV11U1X2402145	1292
300	SISMV6.6U1X3002082	1262	SISMV6.6U1X3002091	1329	SISMV11E1X3002109	1262	SISMV11E1X3002118	1329	SISMV11U1X3002136	1382	SISMV11U1X3002145	1455
400	SISMV6.6U1X4002082	1509	SISMV6.6U1X4002091	1586	SISMV11E1X4002109	1509	SISMV11E1X4002118	1586	SISMV11U1X4002136	1636	SISMV11U1X4002145	1722
500	SISMV6.6U1X5002082	1761	SISMV6.6U1X5002091	1853	SISMV11E1X5002109	1761	SISMV11E1X5002118	1853	SISMV11U1X5002136	2019	SISMV11U1X5002145	2126
630	SISMV6.6U1X6302082	2101	SISMV6.6U1X6302091	2211	SISMV11E1X6302109	2101	SISMV11E1X6302118	2211	SISMV11U1X6302136	2396	SISMV11U1X6302145	2522
800	SISMV6.6U1X8002082	2549	SISMV6.6U1X8002091	2683	SISMV11E1X8002109	2549	SISMV11E1X8002118	2683	SISMV11U1X8002136	2799	SISMV11U1X8002145	2946
1000	SISMV6.6U1X10002082	3317	SISMV6.6U1X10002091	3492	SISMV11E1X10002109	3317	SISMV11E1X10002118	3492	SISMV11U1X10002136	3285	SISMV11U1X10002145	3458

**EXTRA FOR SPECIAL CONSTRUCTION:**

1) FRLS PVC Inner Sheath	5%											
2) FRLS PVC Outer Sheath	5%											
3) Oxygen Index	3%											

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



**POLYCAB****POLYCAB WIRES PVT. LTD.**

LIST PRICE NO 01 / 2014-15 Dtd : 21st July 2014 (Amendment No. 1)

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen with extruded semi conducting compound, XLPE insulated, insulation screening with extruded semi conducting compound in combination with Copper tape (0.2kA for 1sec), Al flat strip / round armoured and overall PVC sheathed cable confirming to IS 7098 / (PART-II) 1985 with latest amendments.

(Rate in Rs. Per Metre)

**I CORE HT XLPE**

Cable Size in sq.mm	22 KV (E)				33 KV (E)				33 KV (UE)			
	Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured	
35												
50												
70												
95	SISMV22E1X952163	783	824	SISMV33E1X952190	1018	SISMV33E1X952199	1071					
120	SISMV22E1X1202163	870	915	SISMV33E1X1202190	1120	SISMV33E1X1202199	1179	SISMV33U1X1202532	1249	SISMV33U1X1202541	1315	
150	SISMV22E1X1502163	947	997	SISMV33E1X1502190	1198	SISMV33E1X1502199	1261	SISMV33U1X1502532	1355	SISMV33U1X1502541	1426	
185	SISMV22E1X1852163	1068	1124	SISMV33E1X1852190	1343	SISMV33E1X1852199	1413	SISMV33U1X1852532	1484	SISMV33U1X1852541	1562	
240	SISMV22E1X2402163	1227	1292	SISMV33E1X2402190	1518	SISMV33E1X2402199	1598	SISMV33U1X2402532	1761	SISMV33U1X2402541	1854	
300	SISMV22E1X3002163	1382	1455	SISMV33E1X3002190	1780	SISMV33E1X3002199	1874	SISMV33U1X3002532	1942	SISMV33U1X3002541	2044	
400	SISMV22E1X4002163	1636	1722	SISMV33E1X4002190	2035	SISMV33E1X4002199	2142	SISMV33U1X4002532	2220	SISMV33U1X4002541	2336	
500	SISMV22E1X5002163	2019	2126	SISMV33E1X5002190	2386	SISMV33E1X5002199	2511	SISMV33U1X5002532	2564	SISMV33U1X5002541	2699	
630	SISMV22E1X6302163	2396	2522	SISMV33E1X6302190	2797	SISMV33E1X6302199	2944	SISMV33U1X6302532	2999	SISMV33U1X6302541	3157	
800	SISMV22E1X8002163	2799	2946	SISMV33E1X8002190	3203	SISMV33E1X8002199	3371	SISMV33U1X8002532	3604	SISMV33U1X8002541	3794	
1000	SISMV22E1X10002163	3285	3458	SISMV33E1X10002190	3904	SISMV33E1X10002199	4098	SISMV33U1X10002532	4143	SISMV33U1X10002541	4361	

**EXTRA FOR SPECIAL CONSTRUCTION:**

1) FRLS PVC Inner Sheath	5%											
2) FRLS PVC Outer Sheath	5%											
3) Oxygen Index	3%											

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 9 of 9